


## Demography

Geographical area (Sq km) *	135191	(2001)
Population size (#) *	25540196	(2011)
Population decadal growth rate (%)*	22.6	(2011)
Total fertility rate (Live births per woman)**	3.0	(2009)
Age-specific fertility rate (15-19 yr, per 1000 woman)**	34.3	(2009)
Life expectancy at birth (Year) **	-	(-)
Sex ratio (0-6 years, Females per 1000 Males)*	964	(2011)
Population density (Persons per sq km)*	189	(2011)

Source: Census\*/SRS\*\*

### Total fertility rate


Live births per women



Source: SRS

### Crude birth rate


Per 1000 population



Source: SRS

### Crude death rate

Per 1000 population



Source: SRS


## Economy

Gross domestic product at constant prices (Crore rupees)	76078	(2009-2010)
Average monthly per capita consumer expenditure (Rupees, Rural)*	582	(2007-2008)
Average monthly per capita consumer expenditure (Rupees, Urban)*	1503	(2007-2008)
Per capita net domestic product at constant prices (Rupees)	25835	(2009-2010)
Unemployment rate (Usual status, %) *	0.8	(2007-2008)
Worker participation rate (Usual status, %) *	49.1	(2007-2008)

Source: SDES/NSS report\*

### Net area sown


Thousand hectares



Source: MoAG

### Growth of gross domestic product at constant prices


(Base 2004-2005=100)



Source: DES

### Population living below national poverty line


Per cent



Source: PLCM

### Proportion of villages electrified


Per cent



Source: Statistical abstract, MoSPI

### Number of factories

Number



Source: Annual survey of industries, MoSPI




## Education

Gender parity index (Grade I-V)	0.97	(2008-2009)
Gender parity index (Grade I-VIII)	0.95	(2008-2009)
Literacy rate (age 7+)*	71.04	(2011)
Adult literacy rate (age 15+)**	64.2	(2007-2008)

Source: Selected education statistics, MoHRD/Census\*/DLHS\*\*

### Gross enrolment ratio (VI-VIII)


Per cent



Source: Selected education statistics, MoHRD

### Teachers


Number



Source: Selected education statistics, MoHRD

### Pupil-teacher ratio in primary education

Ratio



Source: Selected education statistics, MoHRD


## Health

Maternal mortality ratio (Deaths per 100,000 live births)**	269	(2007-2009)
Neonatal mortality rate (Deaths per 1000 live births)**	38	(2009)
Antenatal care (any components, %)	88.5	(2005-2006)
Children aged under 3 yrs with diarrhoea treated with ORS (%)*	36	(2007-2008)
Children aged under 3 yrs with ARI/fever taken to a health facility (%)*	74.4	(2007-2008)
Ever married women aged 15-49 years who have heard of RTI/STI (%)*	38.5	(2007-2008)

Source: NFHS/DLHS\*/SRS\*\*

### Routine Immunization (12-23 months)


Per cent



Source: DLHS

### Infant mortality rate


Deaths per 1000 live births



Source: SRS

### Unmet need for family planning


Per cent



Source: DLHS

### Deliveries assisted by skilled health professional


Per cent



Source: NFHS

### Women who had institutional delivery

Per cent



Source: DLHS



## HIV/AIDS

Condom use at last high-risk sex (%) 56.1 (2006)


Ever married women aged 15-49 years who know that consistent condom use can reduce the chances of getting HIV/AIDS (%) 44.7 (2007-2008)

Source: BSS

Source: DLHS

### Adult HIV prevalence rate (15-49 years)


Per cent



Source: NACO

### Comprehensive correct knowledge of HIV/AIDS (15-24 yr)

Per cent



Source: BSS

## Nutrition

Exclusive breastfeeding rate (age 0-5 months) 82.0 (2005-2006)

Timely complementary feeding rate 54.5 (2005-2006)

Proportion of infants with low birth weight 17.5 (2005-2006)

Prevalence of underweight (moderate and severe, under 3 yrs) 52.1 (2005-2006)

Prevalence of stunting (moderate and severe, under 3 yrs) 45.4 (2005-2006)

Prevalence of wasting (moderate and severe, under 3 yrs) 17.9 (2005-2006)


Children who received vitamin A supplements in the last 6 months (6-59 mo) 9.1 (2005-2006)

Children who received vitamin A supplements in the last 6 months (12-35 mo) 14.4 (2005-2006)

Source: NFHS

### Prevalence of underweight (moderate and severe, under 3 years)


Per cent



Source: NFHS

### Exclusive breastfeeding rate (age 0-5 months)


Per cent



Source: NFHS

### Anaemia among children (under 3 years)

Per cent




Source: NFHS

## Environment

### Households with improved source of drinking water


Per cent



## Protection

### Women aged 20-24 years married by age 18 years


Per cent



Source: NFHS


### Households with toilet facility

Per cent



### Incidence of crime against women

Number



Source: NCRB